

# NOUANSPORT

SPORTS EQUIPMENT MANUFACTURER ■ SINCE 1965

## RACKET SPORTS



**PARTNER OF LOCAL AUTHORITIES, ARCHITECTS, ECONOMISTS, GENERAL CONTRACTORS, INDUSTRIAL COMPANIES, SCHOOLS, CLUBS, PRIVATE STAKEHOLDERS IN THE WORLD OF SPORT**

**NOUANS<sup>S</sup>SPORT DESIGNS AND MANUFACTURES ITS PRODUCTS IN THE HEART OF TOURAINE.**

### FIELDS OF ACTION

**Group sports:** Basketball, Handball, Volleyball, Football, Rugby, etc.

**Racket sports:** Tennis, Badminton, Padel, etc.

**Multi-sports areas, 5-a-side football, 3X3 basketball**

**Sports hall and field equipment and facilities:** changing room facilities, benches, protections, shelters, curtains, separations, storage units, display units, etc.


**Combat sports:** Boxing, Judo, etc.

But also Archery, Squash, Fencing, Climbing... with our partners


### KEY FIGURES

 **More than 55 years** of know-how

 **1,200** finished product references

 **4,500 m<sup>2</sup>** production plant in Touraine

 **50** employees

 **The leader** in the layout and renovation of sports halls throughout France

 **Thousands** of sports facilities



Advice & analysis of needs



Technical support & design



Bespoke services



Manufacturing



Installation



# TENNIS

DESIGNER | CLUB | ACCESSORIES



TE8300



TE8301 TE8302



TEPACK1000



TEPACK1000

**SET OF TRIANGULAR POSTS WITH DECORATIONS AND NET FOR STANDARD GROUND SLEEVES**

DESIGNER RANGE • PER UNIT

Complies with NF EN 1510 standard



Triangular tennis posts in corrosion-treated and streamlined ground sleeves with 150 mm 3-sided aluminium profile. The advertising or decorative features of your choice are interchangeable and integrated into the profile.

Supplied with:

- the specific net
- a pair of singles aluminium support posts
- Nouansport standard decorations or other decorations of your choice

**NS+**

- Customisable and scalable posts
- Net tension system fully integrated into the post
- Slide at the front of the post to insert the specific net over its full height for a perfect post-net junction

- 80 x 80mm ground sleeves, extra



TEPACK1001

**SET OF TRIANGULAR POSTS ON PLATE WITH DECORATIONS AND NET**  
DESIGNER RANGE  
PER UNIT



Pair of triangular tennis posts on plate with bracket, ideal for pre-existing concrete slab.

TEPACK1002

**SET OF TRIANGULAR POSTS WITH ADAPTERS, DECORATIONS AND NET**  
DESIGNER RANGE • PER UNIT



The pair of triangular tennis posts with adapters fits into the existing tennis court ground sleeves. Ideal for renovation.

TE8900

**SET OF STANDARD DECORATIONS FOR DESIGNER TENNIS POSTS**  
OR WITH ADAPTERS • PER SET

6 UV printed panels of the decoration of your choice. Customised Designer Range tennis posts  
Dimensions: 97 x 1082 mm

Choice of one of the 3 standard decorations proposed by Nouansport or a visual specifically developed for your project.

TE8901

**SET OF STANDARD DECORATIONS FOR DESIGNER TENNIS POSTS**  
ON PLATE • PER SET

6 decorative panels for designer tennis posts on plate  
Dimensions: 97 x 1072 mm



STANDARD DECORATIONS IN INTERCHANGEABLE ROT-PROOF AND UV-RESISTANT MATERIAL

TE8200

**TENNIS NET AND REGULATOR**  
SPECIALLY FOR THE DESIGNER RANGE • PER UNIT

Complies with NF EN 1510 standard

Heavy duty knotless black net with polypropylene trim.

- 45 x 45 mm simple mesh (Resistance: 1.6kN) - Ø 4 mm netting 229 g/m<sup>2</sup>
- PVC sheathed steel cable Ø 3.5 / 4.5 mm - L: 13.2 m
- Rot-proof and UV-treated

**NS+**

- The Ø10 aluminium rods delivered with the posts are slipped into the side strips of the specific net. This all slides through the full height of the post for a perfect post-net junction

Comes supplied with a regulator: polyester strap anti-corrosion quick-release closing buckle.





TE8300

**UMPIRE'S CHAIR WITH BAG REST - STEEL**  
DESIGNER RANGE • PER UNIT



Designer tennis umpire's chair in anti-corrosion steel painted with epoxy polyester powders. Comfortable seat and backrest in red or blue UV-resistant ripstop and rot-proof fabric.

- NS+**
- Mobile thanks to its built-in wheels
  - Wide, non-slip steps for secure access
  - Built-in bag rest
  - Customisable

Option: front and back marking of the back of the seat

Other colours: Contact us



TE8301

**PLAYER'S CHAIR - STEEL**  
DESIGNER RANGE • PER UNIT

Sturdy designer tennis player's chair, in galvanised steel painted with epoxy polyester powders with interchangeable seat and backrest in red or blue UV-resistant, ripstop and rot-proof fabric.

Option: front and back marking of the back of the seat

Other colours: Contact us



TE8903

**REPLACEMENT TENNIS SEAT AND BACKREST**  
DESIGNER RANGE • RED OR BLUE FABRIC • PER SET

UV-resistant, ripstop and rot-proof fabric

Option: front and back marking on PVC tape sewn on the back (minimum of 5 seat backs)

Other colours: Contact us



TE8302

**PLAYER'S BAG REST - STEEL**  
DESIGNER RANGE • PER UNIT

Bag rest in anti-corrosion steel painted with epoxy polyester powders. Completes the umpire and player's chair range.





TE1050

### ALUMINIUM TENNIS POSTS

STRAP TENSION • IN GROUND SLEEVES  
PER PAIR

Complies with NF EN 1510 standard

Ø 90 mm round aluminium tennis posts painted with epoxy polyester powders. Installation in ground sleeves. Hooks positioned over the entire height of the posts and Ø10 mm aluminium rods hold the net perfectly in place.

#### NS+

• Straight tension of the net by a belt winch. Its cable is guided by a pulley at the top of the post

- Ø 90mm ground sleeves, extra
- Net, extra



TE1150

### GALVANISED STEEL TENNIS POSTS

STRAP TENSION • IN GROUND SLEEVES  
PER PAIR

Complies with NF EN 1510 standard

Ø 90 mm round galvanised steel tennis posts painted with epoxy polyester powders. Installation in ground sleeves. Hooks positioned over the entire height of the posts hold the net perfectly in place.

#### NS+

• Straight tension of the net by a belt winch. Its cable is guided by a pulley at the top of the post

- Ø 90mm ground sleeves, extra
- Net, extra



TE1151

### GALVANISED STEEL TENNIS POSTS

STRAP TENSION • ON PLATE  
PER PAIR

Ø 90 mm round galvanised steel tennis posts on plate painted with epoxy polyester powders. Ideal on pre-existing concrete slab.

#### NS+

• Straight tension of the net by a belt winch. Its cable is guided by a pulley at the top of the post

- Net, extra



TE1160

### SELF-SUPPORTING TENNIS POSTS

GALVANISED STEEL • RACK AND PINION TENSION  
PER UNIT

Set of self-supporting galvanised steel tennis posts – Ideal for competitions, tennis clubs, sports centres and schools where permanent posts are not suitable – Use: indoor and outdoor

- 7 adjustable feet supporting the structure during play
- 6 wheels to easily move the structure without dismantling
- Rack and pinion winch net tension system

- Net, extra



TE8210

**MAJOR TOURNAMENT TENNIS NET**

Ø 4 MM NETTING • PER UNIT

Complies with NF EN 1510 standard

Heavy duty polypropylene tennis net – Use for major tournaments

- Simple mesh of around 45 x 45 mm
- Ø 4 mm knotless netting – 229 g/m<sup>2</sup>
- PVC sheathed steel cable Ø 3.5 / 4.5 mm – Length: 13.50 m
- White woven polyester headband, double stitching, UV-treated, abrasion-resistant
- Black lower and side bands

- Comes supplied with a regulator



TE8220

**CLUB TENNIS NET**

Ø 3 MM NETTING • PER UNIT

Complies with NF EN 1510 standard

Black polypropylene tennis net – Recommended for club use

- 45 x 45 mm simple mesh
- Ø 3 mm knotless netting – 165 g/m<sup>2</sup>
- PVC sheathed steel cable Ø 3.5 / 4.5 mm – Length: 13.50 m
- White woven headband and black surround band

- Comes supplied with a regulator

TE8230

**LEISURE TENNIS NET**

Ø 2.3 MM NETTING • PER UNIT

Complies with NF EN 1510 standard

Black polypropylene tennis net – Recommended for leisure use

- 45 x 45 mm simple mesh
- Ø 2.3 mm knotless netting – 85 g/m<sup>2</sup>
- PVC sheathed steel cable Ø 3.5 / 4.5 mm – Length: 13.50 m
- White woven headband

- Comes supplied with a regulator



TE8310

**TENNIS UMPIRE'S CHAIR WITH TABLET**GALVANISED STEEL • CLUB  
PER UNIT

- Tennis umpire's chair – Painted galvanised steel
- Swivel and height-adjustable feet for perfect stabilisation
  - UV-treated PVC seat with water run-off system
  - Delivered with tablet

Option: right/left side player chairs



TE8311

**SET OF SIDE PLAYERS' CHAIRS**GALVANISED STEEL • CLUB  
SET OF TWO

Set of 2 right/left side players' chairs in painted galvanised steel. Completes the umpire's chair.



TE8100

**BACKDROP CURTAIN**

PVC M2 - (L) 18 M X (H) 2.4 M • READY TO USE PER UNIT

650 g/m2 PVC canvas, M2 fire classification with 5 cm peripheral hem

Supplied with:

- Ø 10 mm metal eyelets positioned every 25 cm on the upper part
- Galvanised steel fixing clips

Fastening element, extra: ask for a quote

Options: customised marking  
Other possible dimensions

TE8105

**BACKDROP NETTING**

(L) 18 M X (H) 2.5 M • READY TO USE PER UNIT

45 x 45 mm mesh net - Ø 3 mm, overlapped on the surround and weighted in the lower part.

Supplied with:

- Black split rings
- 4/5 mm steel cable sheathed in black PVC
- 10 mm tensioners and cable ties

Fastening element, extra: ask for a quote

Option: other possible dimensions



TE8110

**DIVIDER NET**

(L) 36 M X (H) 2.5 M • READY TO USE PER M<sup>2</sup>

45 x 45 mm mesh net - Ø 3 mm, overlapped on the surround and weighted in the lower part.

Supplied with:

- Black split rings
- 4/5 mm steel cable sheathed in black PVC
- 10 mm tensioners and cable ties

Fastening element, extra: ask for a quote

Option: other possible dimensions



TE8120

**PVC WINDBREAK NET**

200 G/M<sup>2</sup> - (L) 18 M X (H) 2.0 M - READY TO USE PER M<sup>2</sup>

Tennis court netting designed to protect against the sun and the wind in 200g/m2 knitted polypropylene with fastening eyelets every 50 cm. To be installed on an existing fence with reinforced posts.

Comes with fixing clips

Options: customised marking  
Other possible dimensions





TE1100

**SINGLES STICKS**  
ALUMINIUM • PER PAIR

Aluminium singles sticks with triangular base used to raise the cable to the regulatory height.



TE8902

**TENNIS NET HEIGHT REGULATOR**  
PER UNIT

Complies with NF EN 1510 standard

Polyester strap tennis net height regulator with quick-closing buckle.



D11750

**DIGITAL SCOREBOARD**  
200 X 62 CM - PER UNIT

Digital scoreboard for set sports: Tennis - Badminton - Padel - Volleyball. LED technology. Displays sets, games and points. Mounted on walls or posts.

TE8910

**MANUAL SCOREBOARD**  
COMPACT 80X60CM • PER UNIT

Manual scoreboard in white unalterable PVC - Display of games from 0 to 7 in three sets - Fixing device onto court fencing

single-sided display



back display



D11305

**DOUBLE GRID TEXTURED POLYPROPYLENE SLABS**  
30.5 X 30.5 CM • SPECIALLY FOR OUTDOOR TENNIS FLOORS • PER M<sup>2</sup>

Textured clip-in slabs made of UV-stabilised polypropylene, micro-perforated to allow rainwater drainage - A quick solution to ready a suitable surface for tennis

Finishing frame (double grid ramps), extra Line markings: Contact us



DI1400

**STRAP WINCH**  
NET TENSION • TENNIS AND VOLLEYBALL  
PER UNIT

Compatible with all cable lengths.  
Tension allowed up to 300 kg. Removable handle.



DI1500

**BASES FOR Ø 90 MM ROUND POSTS**  
IDEAL FOR TENNIS AND VOLLEYBALL • PER PAIR

Base fixed into the ground using an anchor box. Ideal in indoor premises with a thin slab that does not allow the insertion of a standard ground sleeve.



DI1220

**CHEMICAL SEALING CARTRIDGE**  
PER UNIT


Cartridge for chemical sealing of multidirectional anchoring systems.

Provide 1 cartridge for 5 seals

DI1100

**GROUND SLEEVE FOR Ø 90 MM ROUND POSTS**  
400 MM DEEP • PER UNIT

Ground sleeve for Ø 90 mm post, 400 mm deep. Its lid can be covered with the floor covering. To be sealed before laying the sports floor.



DI1110

**GROUND SLEEVE FOR 80 X 80 MM SQUARE POST**  
400 MM DEEP • PER UNIT

Galvanised steel ground sleeve for 80x80mm square post - 400 mm deep, to be sealed before laying the sports floor

DI1200

**SEALABLE ANCHORING SLEEVE**  
PER UNIT

NF S 52-400 standard

Anchoring sleeve, to be sealed before laying the covering, with ring and lid receiving the floor covering.



DI1210

**CHEMICALLY SEALED MULTIDIRECTIONAL ANCHORING SYSTEM**  
PER UNIT

NF S 52-400 standard

Chemically sealed multidirectional anchoring system with lid that can be covered with the floor covering. Ideal on existing flooring. Tear resistance: 800 kg  
Note: Slab thickness > 150mm




Anti-corrosion treatment  
Sealing cartridge, extra

# BADMINTON

INDOORS | OUTDOORS | ACCESSORIES



**Nouansport is the official supplier of the French Badminton Federation and the official supplier of the French Badminton Championships.**



BA8150



BA1000



BA1906



French championship model

BA1000

**AIRBADMINTON POSTS ON BASE**  
NATIONAL AND REGIONAL COMPETITIONS  
PER PAIR



Federal classification no.: PF 53-2021

Regional and national competition posts, adjustable in height from 1.40 m (para-badminton and beginners) to 1.55 m, free-standing on weighted steel bases for optimal net tension.

Weight: 2 x 86 kg

**NS+**

- Unique posts for any type of competition
- Easy movement, not leaving marks on sports floors thanks to Ø 250mm and 50mm wide wheels
- Velcro connection to the net throughout the top of the post for a perfect post-net junction
- System for tensioning the net with a wedge cleat
- Easy to set up
- Ergonomic

Velcro net for the full height, extra



BA1001

**DOUBLES POST FOR AIRBADMINTON ON BASE**  
REGIONAL COMPETITIONS • PER UNIT

Federal classification no.: PF 54-2021 and PF 55-2021

Double free-standing steel post for regional competitions on weighted base, compliant with federal regulations. Height-adjustable from 1.40m (para-badminton and beginners) to 1.55m and spacing from 74 cm to 128 cm for perfect alignment of the posts on the line markings.

Weight: 92 kg

**NS+**

- Easy movement, not leaving marks on sports floors thanks to Ø 250mm and 50mm wide wheels
- Velcro connection to the net throughout the top of the post for a perfect post-net junction
- System for tensioning the net with a wedge cleat
- Easy to set up
- Ergonomic

Velcro net for the full height, extra



BA1600

**AIRBADMINTON POSTS IN GROUND SLEEVES**  
REGIONAL COMPETITIONS  
PER PAIR

Federal classification no.:  
PF 14-2008

Regional competition posts in height-adjustable steel sleeves, from 1.40 m (para-badminton and beginners) to 1.55 m.

Weight: 2 x 6 kg

**NS+**

- Velcro connection to the net throughout the top of the post for a perfect post-net junction
- System for tensioning the net with a wedge cleat

Velcro net for the full height, extra  
Ground sleeves, extra



BA1500

**AIRBADMINTON POSTS TO BE ANCHORED**  
REGIONAL COMPETITIONS  
PER PAIR

Federal classification no.: PF 51-2016

Regional competition posts to be anchored, height-adjustable from 1.40 m (para-badminton and beginners) to 1.55 m.

Weight: 2 x 7.2 kg

**NS+**

- Lightweight, space-saving and easy to set up
- Velcro connection to the net throughout the top of the post for a perfect post-net junction
- System for tensioning the net with a wedge cleat

Velcro net for the full height, extra  
Anchoring sleeve, extra

BA1100

**SCHOOL BADMINTON POSTS ON MOVEABLE BASE**  
PER PAIR

Badminton posts on weighted base supplied with wheels for transport – Recommended for school use

- Fixed height: 1.55 m
  - Tensioning the net by a wedge cleat
- Weight: 2 x 20 kg



Net, extra



BA1101

**SCHOOL CENTRAL BADMINTON POST ON DOUBLE BASE**  
PER UNIT

Badminton post on weighted base supplied with wheels for transport – Recommended for school use

- Fixed height: 1.55 m
  - Tensioning the net by a wedge cleat
- Weight: 36 kg

- NS+**
- Light
  - Easy to handle



Net, extra



BA8200

**6.10 M DOUBLES BADMINTON NET WITH VERTICAL VELCRO**  
PER UNIT

Complies with federal regulations



Badminton doubles net – 6 m x 0.76 m with vertical Velcro over the entire height in black polyethylene with Ø 4 mm cord and 37.5 mm white headband.  
20 mm x 20 mm mesh – Ø 1.2 mm thread

- NS+**
- Presence of Velcro over the entire height of the net for perfect post-net junction



BA8201

**5.10 M SINGLES BADMINTON NET WITH VERTICAL VELCRO** • PER UNIT

Complies with federal regulations

Singles badminton net  
5.10 m x 0.76 m

BA8210

**6.10 M DOUBLES SCHOOL BADMINTON NET**  
PER UNIT

School badminton net for playing doubles – 6.10m

- Dimensions: 6.10 m x 0.76 m
- Black polyethylene thread with Ø 4 mm cord and 37.5 mm white headband
- 20 mm x 20 mm mesh – Ø 1.2 mm thread



BA1906

**AIRBADMINTON SET ON GRASS**  
STEEL • COMPETITION  
THE SET

Recommended by the FFBAD

Complete kit for grass court including:

- 2 posts in galvanised steel painted in epoxy polyester powders, height-adjustable (from 1.40 m to 1.55 m) for grass courts
  - 1 tension kit per post
  - 1 net with full-height side Velcro - 6 m
  - 1 set of 16 m x 6 m competition line markings consisting of blue and red straps 50 mm wide. For singles and doubles play
  - 1 line marking holding kit
  - 1 carry bag
- Weight: 15 kg



BA1910

**BASE FOR AIRBADMINTON POST ON SAND**  
PER UNIT



BA1901

**AIRBADMINTON SET ON SAND**  
STEEL • COMPETITION  
THE SET

Recommended by the FFBAD

Complete kit for sand court including:

- 2 posts in galvanised steel painted in epoxy polyester powders, height-adjustable (from 1.40 m to 1.55 m) for sand courts
  - 2 bases to be buried in the sand, contributing to the stability of the posts
  - 1 net with full-height side Velcro - 6 m
  - 1 set of 16 m x 6 m competition line markings consisting of blue and red straps 50 mm wide. For singles and doubles play
  - 1 line marking holding kit
  - 1 carry bag
- Weight: 25 kg



BA1905

**AIRBADMINTON POSTS ON GRASS**  
STEEL • COMPETITION  
PER PAIR

Recommended by the FFBAD

Painted galvanised steel posts are specially designed for grass courts.

- Height adjustable: 1.40m - 1.55m. \*Equipped with a plug that should be sunk into the ground and 2 pegs with tension cord to hold them.
  - System for tensioning the net with a wedge cleat.
  - Continuous Velcro post-net junction over its entire height.
  - Rings are provided on the lower part of the post to hook straps that mark out the court and are held on the grass with pegs.
- Weight: 2 x 5 kg

Velcro net for the full height, extra  
Line marking, extra



BA1900

**AIRBADMINTON POSTS ON SAND**  
STEEL • COMPETITION  
PER PAIR

Recommended by the FFBAD

Painted galvanised steel posts are specially designed for airbadminton on sand.

- Height adjustable: 1.40 m to 1.55 m.
  - Regulatory height of the net during play: 1.50 m.
  - The posts fit into the bases (extra) that are buried in the sand.
  - System for tensioning the net with a wedge cleat.
  - Continuous Velcro post-net junction over its entire height.
  - On the lower part of the posts, rings are provided to hook straps that mark the court.
- Weight: 2 x 5 kg

Velcro net for the full height, extra  
Line marking, extra  
Bases, extra





**BA1930**

**FREE-STANDING ALUMINIUM SET FOR AIRBADMINTON ON ALL SURFACES PER UNIT**

*Recommended by the FFBAD*



Free-standing badminton set, entirely in aluminium

Removable, easy to transport, can be installed over any flat surface: grass, tarmac, sand, slabs, etc.

Velcro present over the entire height of the post for a continuous post-net junction. System using a wedge cleat to guarantee perfect tension of the net.

comprising:

- Height-adjustable posts
- 1 net with full-height side Velcro – 6 m
- 1 competition line marking set adjustable in width for singles or doubles delivered with the holding devices adapted to the different playing surfaces: grass, sand, tarmac, slabs, etc.
- 1 box of 3 outdoor badminton shuttlecocks
- 1 carry bag

Weight: 15 kg



**BA8202**

**AIRBADMINTON DOUBLES NET 6 M • WITH VERTICAL VELCRO • PER UNIT**

*Complies with federal regulations*

Badminton doubles net – 6 m x 0.76 m with vertical Velcro over the entire height in black polyethylene with Ø 4 mm cord and 37.5 mm white headband. 20 mm x 20 mm mesh – Ø 1.2 mm thread.

**NS+**

• Presence of Velcro over the entire height of the net for perfect post-net junction

**BA1920**

**AIRBADMINTON ON SAND LINE MARKINGS WITH HOLDING DEVICE COMPETITION • PER UNIT**

*Recommended by the FFBAD*

Line marking in blue and red coloured strip, supplied with hooking rings in the corners, delivered with a specific holding device. Removable single lines.

**BA1926**

**AIRBADMINTON ON GRASS LINE MARKINGS WITH HOLDING DEVICE COMPETITION • PER UNIT**

*Recommended by the FFBAD*

Blue and red airbadminton competition line markings on grass delivered with support pegs. Removable single lines.



BA8102

**BADMINTON UMPIRE'S CHAIR**  
PER UNIT

Federal classification no.: UC 02-2009



Umpire's chair in epoxy powder painted steel

- Height of the shell seat: 1.55 m
  - Fitted with wheels for easy movement and installation
  - Swivel tablet
  - Non-slip pads
  - Fold-away rear feet for easier, more compact storage
- Weight: 24 kg



BA8150


**BADMINTON STORAGE TROLLEY**  
POSTS • NETS • RACKETS... • PER UNIT

Painted steel storage trolley (H)1.60m x (L) 1.07mx (W) 0.70m for posts, nets and rackets.

Easy installation and storage - Ideal for schools and clubs

- Capacity: 10 pairs of badminton posts to be anchored or slotted into ground sleeves and 40 rackets
- Non-slip plywood bottom tray for accessories
- 4 castor wheels with non-marking tread
- Racket holder

Option: set of 4 storage boxes



DI1600

**SET OF 4 STORAGE BOXES**  
(L) 39 X (W) 29 X (H) 21 CM • PER SET

The set of 4 plastic boxes completes the trolley - For easy storage of nets, shuttlecocks and other accessories necessary to organise badminton practice.



DI1120

**GROUND SLEEVE FOR SQUARE POST**  
40 X 40 MM • 220 MM DEEP • PER UNIT

Ground sleeve for 40x40mm galvanised steel posts, 220 mm deep. Its lid can be covered with the glued floor covering. It must be sealed before laying the sports covering.

DI1200

**SEALABLE ANCHORING SLEEVE**  
PER UNIT

Anchoring sleeve, to be sealed before laying the covering, with ring and lid receiving the glued or cast floor covering.  
Tear resistance: 800 kg



DI1210

**CHEMICALLY SEALED MULTIDIRECTIONAL ANCHORING SYSTEM**  
PER UNIT

Chemically sealed multidirectional anchoring system with lid that can be covered with the floor covering. Ideal on existing flooring. Tear resistance: 800 kg  
Note: Slab thickness must be greater than 150mm

Sealing cartridge, extra



DI1220

**CHEMICAL SEALING CARTRIDGE**  
PER UNIT

Cartridge for chemical sealing of multidirectional anchoring systems. Provide 1 cartridge for 5 seals.



# PADEL



PA20X10



**NOUANSPORT  
PADEL COURTS  
COMPLY WITH  
THE FEDERAL  
SPECIFICATIONS**



PA20X10P



PA20X10

### 20 X 10 M PADEL COURT ON PLATE PER UNIT

Compliant with FFT specifications

- Powder-coated structure made of reinforced steel profile (anti-corrosion treatment for outdoor installation). It is mounted on reinforced posts anchored to the ground.
- Mesh panels assembled with stainless steel screws.
- Bearing on the posts placed every 2 m, the glazing is made of tempered glass, **10mm** thick, with polished edges. Fixed onto vibration-proof neoprene seals.

Comes with powder-coated steel padel posts and net

Options:

- Artificial turf
- Foam underlay to be installed under the artificial turf for greater comfort of play
- Access doors
- Lighting



PA20X10P

### 20 X 10 M PADEL COURT ON PLATE - PANORAMIC PER UNIT

Compliant with FFT specifications

- Powder-coated structure made of reinforced steel profile (anti-corrosion treatment for outdoor installation). It is mounted on reinforced posts anchored to the ground.
- Mesh panels assembled with stainless steel screws.
- The **12 mm** thick tempered glass glazing rests on the self-supporting steel structure which removes the need for an intermediate post at the back of the court thereby giving a panoramic **view of the game**. Fixed onto vibration-proof neoprene seals.

Comes with powder-coated steel padel posts and net.

Options:

- Artificial turf
- Foam underlay to be installed under the artificial turf for greater comfort of play
- Access doors
- Lighting



## ADVICE & SUPPORT

Nouansport, unique skills  
and expertise

- RESEARCH AND DEVELOPMENT
- DESIGN OFFICE
- TECHNICAL SALES TEAM
- MANUFACTURING
- TECHNICAL SUPPORT  
AND INSTALLATION

To support you through to the full success of your sports facilities in compliance with the Sports Code and standards.



## Sharing the same values, be **(ECO)RESPONSIBLE**

A French manufacturer based in the countryside, Nouansport designs and produces in Touraine in its own workshops, giving priority to proximity, quality and durability.



Produit en Centre  
Val de Loire  
CERIB 130005



An innovative **and eco-responsible company**,  
Nouansport uses the **most efficient** manufacturing processes combining high-tech (automatic welding) and craftsmanship (manual welding and finishing), guaranteeing a high level of quality, solidity and durability.

The technological options taken for the production process are environmentally friendly:

**solvent-free paint, production system without water consumption**, generation of selectively sorted non-hazardous industrial waste.

Qualified partners guaranteeing reprocessing and reuse of waste (wood, steel, aluminium, cardboard, plastic, etc.)



## INNOVATION

Our product innovation strategy combining sports, environmental, economic and design performance brings real added value.

- HIGH PERFORMANCE  
MANUFACTURING  
METHODS
- HIGH TECHNOLOGY
- CRAFTSMANSHIP
- SUSTAINABLE DEVELOPMENT

Nouansport products are designed to be high-performance, durable, easily dismantled and reusable.



## A MANUFACTURER'S COMMITMENTS

**THE EQUIPMENT AND INSTALLATIONS COMPLY WITH FRENCH AND EUROPEAN STANDARDS AND REGULATIONS - SPORTS CODE, FIFAS GYMNASIUM GUIDELINES, NF15312, NFS 52400, FEDERATION REQUIREMENTS AND REGULATIONS, ETC.**

### EQUIPMENT WARRANTY

Hot-dip galvanized metal structure • Anti-corrosion: **20 years**

Fasteners and fixings: **10 years**

Powder-coated paints: **10 years**

Fasteners • Screws: **10 years**

Welding: **10 years**


After Sales Service: **Availability of main spare parts for at least 25 years.**



# FRENCH MANUFACTURER OF SPORTS AND LEISURE EQUIPMENT

**SINCE 1965**

- o **Certified** French production **Guaranteed French Production.**
- o Qualisport **certifications** obtained without interruption **since 1972.**
- o Products recognised for their **performance, technical quality** and **durability.**
- o **Thousands of projects set up** in France, French overseas territories and abroad




Route de Valençay  
37460 Nouans les Fontaines - France  
+33 (0)2 47 92 62 32  
info@nouansport.com



Group sports



Racket sports



Football and Rugby



Indoor equipment



5-a-side football



Combat sports



Multi-sports areas



[www.nouansport.com](http://www.nouansport.com)